

**AMENDMENTS TO THE CLAIMS**

Please amend claims 1, 2, 6, 8 and 12 as set forth on the attached Listing of Claims,  
beginning at page 3.

✓ Please cancel claim 5.

## LISTING OF CLAIMS

- b1
1. (Currently amended) A drawer comprising:
- a bottom wall,
- an upstanding peripheral wall structure integral with the bottom wall and having an upper edge,
- a partition extending across and joining opposed portions of the peripheral wall structure for cooperation therewith and with the bottom wall to define a compartment, and
- a tray mountable on the peripheral wall structure for movement between an open position uncovering the compartment and a closed position covering the compartment,
- the tray having a bottom wall disposed below the upper edge of the peripheral wall structure, and
- a lock assembly for locking the tray to the partition.
- 61
2. (Currently Amended) The drawer of claim 1, wherein the bottom wall is substantially rectangular in shape and the peripheral wall structure extends around the periphery of the bottom wall.
3. (Original) The drawer of claim 1, wherein the tray includes flanges supportable on the peripheral wall structure at the upper edge thereof for accommodating sliding movement of the tray relative to the peripheral wall structure.
4. (Original) The drawer of claim 1, wherein the tray defines an open-top storage volume.
5. (Cancelled)
6. (Currently amended) The drawer of claim 5 1, wherein the lock assembly includes a latch mechanism on the tray movable between locking and unlocking conditions relative to the partition.

B1  
Con 4

7. (Withdrawn)

8. (Currently amended) A drawer comprising:

a bottom wall,

an upstanding peripheral wall structure integral with the bottom wall,

a partition extending across and joining opposed portions of the peripheral wall structure for cooperation therewith and with the bottom wall to define a compartment,

a tray mountable on the peripheral wall structure for movement between an open position uncovering the compartment and a closed position covering the compartment,

a lock mechanism carried by the tray and selectively movable between locking and unlocking conditions, and

keeper structure on the partition engageable with the lock mechanism in its locking condition for retaining the tray in its closed position.

AD  
ant

9. (Original) The drawer of claim 8, wherein the lock mechanism is key-actuatable.

10. (Original) The drawer of claim 8, wherein the lock mechanism includes a movable latch element, the keeper structure including a slot in the partition for receiving the latch element.

11. (Original) The drawer of claim 8, wherein the tray includes lock support structure at a forward end thereof.

12. (Currently amended) The drawer of claim 11, wherein the tray has a bottom and the lock support structure includes a flange depending below the bottom wall of the ~~drawer~~ tray for engagement with the partition to prevent access to space between the tray and the partition when the tray is locked in its closed position.

B1  
cont

13. (Original) The drawer of claim 8, and further comprising: a forwardly-projecting flange at a rear end of the peripheral wall structure at an upper edge thereof, the tray having a rear end receivable beneath the flange when the tray is in its closed position.

a2  
cont

- 14. (Withdrawn)
- 15. (Withdrawn)
- 16. (Withdrawn)
- 17. (Withdrawn)
- 18. (Withdrawn)
- 19. (Withdrawn)
- 20. (Withdrawn)
- 21. (Withdrawn)
- 22. (Withdrawn)
- 23. (Withdrawn)
- 24. (Withdrawn)
- 25. (Withdrawn)